

30813

Table 6.33A Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002

Source of Payment ¹	Total	AGE GROUP (Years)		
		18-25	26-49	50 or Older
Self or Family Member Living in Household	5,883	811	3,621	1,451
Family Member Not Living in Household	247	170	50	28
Private Health Insurance	7,077	764	4,248	2,064
Medicare	1,473	89	487	897
Medicaid	1,240	150	774	316
Rehabilitation Program	79	10	49	*
Employer	1,368	111	955	302
VA or Other Military Program	371	22	227	122
Other Public Source	407	85	237	85
Other Private Source	257	47	63	147
Free Treatment	1,060	318	567	175

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 6.33B Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Percentages, 2002

Source of Payment ¹	Total	AGE GROUP (Years)		
		18-25	26-49	50 or Older
Self or Family Member Living in Household	37.6	38.4	40.2	32.2
Family Member Not Living in Household	1.6	8.1	0.6	0.6
Private Health Insurance	45.3	36.2	47.2	45.8
Medicare	9.4	4.2	5.4	19.9
Medicaid	7.9	7.1	8.6	7.0
Rehabilitation Program	0.5	0.5	0.5	*
Employer	8.8	5.3	10.6	6.7
VA or Other Military Program	2.4	1.1	2.5	2.7
Other Public Source	2.6	4.0	2.6	1.9
Other Private Source	1.6	2.2	0.7	3.3
Free Treatment	6.8	15.1	6.3	3.9

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 6.34A Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002

Source of Payment ¹	Total	AGE GROUP (Years)		
		18-25	26-49	50 or Older
Self or Family Member Living in Household	2,025	418	1,403	*
Family Member Not Living in Household	126	95	17	*
Private Health Insurance	2,682	393	1,664	*
Medicare	512	37	272	*
Medicaid	684	95	401	*
Rehabilitation Program	30	4	27	*
Employer	410	29	364	*
VA or Other Military Program	158	10	117	*
Other Public Source	208	44	133	*
Other Private Source	71	29	33	*
Free Treatment	378	120	190	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.6 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 6.34B Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Percentages, 2002

Source of Payment ¹	Total	AGE GROUP (Years)		
		18-25	26-49	50 or Older
Self or Family Member Living in Household	35.3	42.5	39.1	*
Family Member Not Living in Household	2.2	9.7	0.5	*
Private Health Insurance	46.8	39.9	46.4	*
Medicare	8.9	3.8	7.6	*
Medicaid	11.9	9.6	11.2	*
Rehabilitation Program	0.5	0.4	0.7	*
Employer	7.1	2.9	10.1	*
VA or Other Military Program	2.8	1.0	3.3	*
Other Public Source	3.6	4.5	3.7	*
Other Private Source	1.2	3.0	0.9	*
Free Treatment	6.6	12.2	5.3	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.6 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.